

## Test Report

Applicant:YANA FAMILY Co.,LTD.

Date:2024/08/14

Address:1F., No. 21, Ln. 7, Peide Rd., Xinyi Dist., Keelung City, Taiwan

Report Number:JTS202408A0165

Contact person:Chieh-Hsin Liu

TEL:02-24970919

Sample Description: (The following sample(s) was/were submitted and identified by/on behalf of the applicant.)

Product name:KOAI KOAI CHIAH PNG - Selected Super Meaty Complete Cat Food Package:CHICKEN & Package status:As shown in the picture  
GOAT MILK

Sample quantity:1 package

Manufacturing date:2024/06/17

Sample storage method:Normal temperature

Expiry Date:--

Manufacturer or Supplier:WISDOM INTERNATIONAL PET SCIENCE CO., LTD.

Sample Received Date:2024/08/01

Lot No. :2024-06-17

Sample Test Date(s):2024/08/01

Notation:Expiry Date:18 months

### Test Result:

Test Item	Result	Limit of Quantitation	Test Method
<i>Salmonella</i>	Negative	--	MOHW No. 1021951187-Methods of Test for Food Microorganisms-Test of <i>Salmonella</i> (Part 1) (MOHWM0025.01)(Note : The matrix is good for the laboratory expanded certification testing method, but not belong in the TFDA certification scope)
<i>Listeria monocytogenes</i>	Negative	--	MOHW No. 1111901489-Methods of Test for Food Microorganisms-Test of <i>Listeria monocytogenes</i> in Foods (Part 1) (MOHWM0029.00)(Note : The matrix is good for the laboratory expanded certification testing method, but not belong in the TFDA certification scope)
Pathogenic <i>Escherichia coli</i>	Negative	--	MOHW No. 1091902961-Methods of Test for Food Microorganisms-Test of Pathogenic <i>Escherichia coli</i> (MOHWM0017.03)(Note : The matrix is good for the laboratory expanded certification testing method)
<i>Clostridium perfringens</i>	Negative	10 CFU/g(mL)	MOHW No. 1121900124-Methods of Test for Food Microorganisms-Test of <i>Clostridium perfringens</i> (MOHWM0006.02)(Note : The matrix is good for the laboratory expanded certification testing method)

Notation:

\* The value is as the number of colonies and indicates as an estimate.

### -End of Report-

- The testing items having been accredited by MOHW are added with a mark "H".
- This test document cannot be reproduced in any way, except in full content, without the prior approval in writing of the laboratory.
- N.D.: not-detected means the test results is lower than limit of quantitation. Negative: means the test results is lower than limit of detection.
- All item in this testing report is based on the request from client and we are responsible for that.
- In there are any discrepancy, the Chinese version shall prevail.
- The results shown in this test report refer only to the sample(s) tested unless otherwise stated.
- This document only show the result(s) of test item(s) and cannot be determined the legality of sample(s)



*Stone Chen*

Signed for and on behalf of  
Laboratory of JTtec service corporation

Sample Picture

